Index to Volume 68

Volume 68, No. 1

3 **Editorial**
A shorter wait in '98
David L. Turpin, DDS, MSD

5 **Letters**

7 **What's new in dentistry**
Vincent Kokich, DDS, MSD

Original Articles

9 **Class II Division 2 malocclusion: A heritable pattern of small teeth in well-developed jaws**
Sheldon Peck, DDS, MScD; Leena Peck, DMD, MSD; Matti Kataja, PhD

21 **Mixed dentition analysis for Hong Kong Chinese**
Keith Kwok-wah Yuen, BSc (Hon.), BDS, MDS; Endarra Lai-king Tang, BDS, MDS, FHKAM (Dental Surgery); Lisa Lai-ying So, BDS, MDS, FHKAM (Dental Surgery), FRCD (Canada), FRACDS (Orth)

29 **The form of the human dental arch**
Stanley Braun, DDS, MME; William P. Hnat, PhD; Dana E. Fender, DMD; Harry L. Legan, DDS

37 **Dental arch asymmetry in the mixed dentition**
Thomas J. Maurice, DDS, MS; Katherine Kula, MS, DMD, MS, FACD

45 **Dental arch asymmetry in children with large overjets**
Katherine Kula, MS, DMD, MS, FACD; Abbas Esmailnejad, BDS; Andrew Hass, DDS

53 **A meta-analysis of mandibular intercanine width in treatment and postretention**
Stephen P. Burke, DDS, MS; Anibal M. Silveira, DDS; L. Jane Goldsmith, PhD; John M. Yancey, MA, PhD; Arthur Van Stewart, DMD, PhD, FACD; William C. Scarfe, BDS, FRACDS, MS

61 **Early versus late treatment of crowded first premolar extraction cases: Postretention evaluation of stability and relapse**
Takanobu Haruki, DDS; Robert M. Little, DDS, MSD, PhD

69 **Arch length changes from 6 weeks to 45 years**
Samir E. Bishara, BDS, D Ortho, DDS, MS; Jane R. Jakobsen, BA, MS; Jean Treder, DDS, MS; Arthur Nowak, DDS, MS

75 **Changes in occlusion between 23 and 34 years**
Olav Bondevik, DDS, Lic. Odont

81 **Does a secular trend exist in the distribution of occlusal patterns?**
Ilana Brin, DMD; Osnat Zwilling-Sellam, DMD; Doron Harari, DMD; Edith Koyoumdjisky-Kaye, DMD; Yocheved Ben-Bassat, DMD

Case Report

85 **Case Report: Facial asymmetry and early condylar fracture**
Takashi Yamashiro, DDS, PhD; Takumi Okada, DDS; Kenji Takada, DDS, PhD

Brief Communication

91 **Clinical evaluation of temporomandibular joint disorders (TMD) in patients treated with chin cup**
Toshio Deguchi, DDS, MSD PhD; Setsuko Uematsu, DDS; Yoshiko Kawahara, DDS; Hiroshi Mimura, DDS, PhD

Volume 68, No. 2

Guest Editorial

99 **The value of information and the cost of uncertainty: Who pays the bill?**
Lysle E. Johnston Jr., DDS, PhD

103 **Letters**

105 **What's new in dentistry**
Vincent Kokich, DDS, MSD

Original Articles

107 **Occlusal traits and perception of orthodontic need in eighth grade students**
R.D. Sheats, DMD, MPH; S.P. McGorray, PhD; S.D. Keeling, DDS, MS; T.T. Wheeler, DMD, PhD; G.J. King, DMD, DMSc

115 **Orthodontists' assessment and management of patient compliance**
T. Mehra, DMD, MS; R.S. Nanda, DDS, MS, PhD; P.K Sinha, BDS, DDS, MS

123 **Effect of behavior modification on patient compliance in orthodontics**
David D. Richter, DDS, MS; Ram S. Nanda, DDS, MS, PhD; Pramod K. Sinha, BDS, DDS, MS; David W. Smith, PhD

133 **The use of tooth thickness in predicting intermaxillary tooth-size discrepancies**
D.J. Rudolph, DDS, MS, PhD; P.D. Dominguez; K. Ahn, DDS; T. Thinh
Commentary by Dennis M. Killiany, DDS, MS

141 **Enamel thickness of the posterior dentition: Its implications for nonextraction treatment**
J. L. Stroud, DDS, MS; J. English, DDS, MS; Peter H. Buschang, PhD

147 **Eruption and function of maxillary third molars after extraction of second molars**
Allen H. Moffitt, DMD, MSD

153 **Ectopic eruption of the first permanent molars: Prevalence and etiologic factors**
Kanoknart Chintakanon, DDS, MDS-Orthodontics (Adelaide); Patipat Boonpinon, DDS

161 **Hyalinization and root resorption during early orthodontic tooth movement in adolescents**
Jüri Kurol, DDS, OdontDr; Py Owman-Moll, DDS, OdontDr

167 **Periodontal conditions following surgical and orthodontic treatment of palatally impacted maxillary canines—a follow-up study**
Christina Hansson, LDS; Arne Rindler, LDS

Clinical Review

173 **Uprighting mesially impacted mandibular permanent second molars**
Yehoshua Shapira, DMD; Gerald Borell, DDS; Oded Nahlieli, DMD; Mladen M. Kuftinec, D Stom, DMD, ScD

Case Reports

179 **Case Report: Forced eruption and implant site development**
Theo Mantzikos, DMD; Ilan Shamus, DDS

187 **Case Report: Management of significant incisor root resorption associated with maxillary canine impaction**
W. Craig Shellhart, DDS, MS; Samuel Jasper, DDS, MS; Herbert Abrams, DDS, MS; Trent Wilson, DMD

Volume 68, Number 3

Editorial

195 **Internet a valuable resource**
David L. Turpin, DDS, MSD

197 **What's new in dentistry**
Vincent Kokich, DDS, MSD

Original Articles

199 **Childhood and adolescent changes of skeletal relationships**
Peter H. Buschang, PhD; Joel Martins, DDS, PhD
Commentary by Robert J. Isaacson

209 **Changes in overbite and face height from 5 to 45 years of age in normal subjects**
Samir E. Bishara, BDS, D Ortho, DDS, MS; Jane R. Jakobsen, BA, MS

217 **Cephalometric effects of combined palatal expansion and facemask therapy on Class III malocclusion**
Patricia E. Nartallo-Turley, Dr Odont; Patrick K. Turley, DDS, MSD, M Ed

225 **Orthodontic maxillary expansion and its effect on nocturnal enuresis**
Jüri Kurol, DDS, PhD; Håkan Modin, DDS; Anders Bjerkhoel, MD

233 **Relationship between masticatory muscle activity and vertical craniofacial morphology**
Hiroshi M. Ueda, DDS; Yasuo Ishizuka, DDS, Phd; Keisuke Miyamoto, DDS, Phd; Noriaki Morimoto, DDS, PhD; Kazuo Tanne, DDS, PhD

239 **The effect of cross-sectional dimensional variations of square and rectangular chrome-cobalt archwires on torsion**
Torstein R. Meling, MD, Dr Philos; Jan Ødegaard, BDS, MS, Dr.Odont

249 **Effects of a myofunctional appliance on orofacial muscle activity and structures**
Antje Tallgren, LDS, Odont Dr; Richard L. Christiansen, DDS, MSD, PhD; Major M. Ash Jr., DDS, MS, Dr hc; Richard L. Miller, BS, MS

259 **Effects of local administration of osteocalcin on experimental tooth movement**
Yasuhiro Kobayashi, DDS, DDSc; Hiroshi Takagi, DDS, DDSc; Hideaki Sakai, DDS, DDSc; Fumio Hashimoto, DDS, DDSc; Shiro Mataki, DDS, DDSc; Kazuhide Kobayashi DDS, DDSc; Yuzo Kato, DDS, DDSc

267 **A controlled study of associated dental anomalies**
T. Baccetti, DDS, PhD

Case Reports

275 **Case Report: Class II correction using a modified Wilson bimetric distalizing arch and maxillary second molar extraction**
David J. Harnick, DDS, MSD

281 **Case Report: Orthodontic treatment of dental problems in incontinentia pigmenti**
Takashi Yamashiro, DDS, PhD; Koichi Nakagawa, DDS, PhD; Kenji Takada, DDS, PhD

285 **Information for authors**

Volume 68, Number 4

Editorial

291 **Ethical questions in the information age**
David L. Turpin, DDS, MSD

293 **What's new in dentistry**
Vincent Kokich, DDS, MSD

Review Articles

295 **Orthodontics and the temporomandibular joint: Where are we now? Part 1. Orthodontic treatment and temporomandibular disorders**
F. Luther, BDS (Hons), MSc, MOrth, FDS RCS (Eng)

305 **Orthodontics and the temporomandibular joint: Where are we now? Part 2. Functional occlusion, malocclusion, and TMD**
F. Luther, BDS (Hons), MSc, MOrth FDS RCS (Eng)

Original Articles

319 **Characteristics of headgear release mechanisms: Safety implications**
Gary D. Stafford, DDS; Angelo A. Caputo, PhD; Patrick K. Turley, DDS, MSD, MEd

327 **Oropharyngeal airway dimensions and functional-orthopedic treatment in skeletal Class II cases**
M. Murat Özbek, DDS, PhD; T. Ufuk Toygar Memikoglu, DDS, PhD; Hakan Gögen, DDS, PhD; Alan A. Lowe, DMD, PhD, FRCD(C); Ensar Baspinar, PhD

337 **Improved orthodontic bonding to silver amalgam. Part 2. Lathe-cut, admixed, and spherical amalgams with different intermediate resins**
Tamer Büyükyilmaz, DDS, MSD; Björn U. Zachrisson, DDS, MSD, PhD

345 **Comparative laboratory investigation of dual-cured vs. conventional glass ionomer cements for band cementation**
D.T. Millett, BDSc, DDS, FDS, MOrth; K. Kamahli, BDS; J. McColl, MA, MSc, FSS

351 **A 5-year clinical review of bond failure with a light-cured resin adhesive**
D.T. Millett, BDSc, DDS, FDS, MOrth; A. Hallgren, DDS, MS; D. Cattanach, BDS; R. McFadzean, BDS; J. Pattison, BDS; M. Robertson, BSc; J. Love, BSc, PhD

357 **The effect of temperature on the elastic responses to longitudinal torsion of rectangular nickel titanium archwires**
Torstein R. Meling, MD, Dr.Philos; Jan Ødegaard, BDS, MS, Dr.Odont

369 **The effect of short-term temperature changes on the mechanical properties of rectangular nickel titanium archwires tested in torsion**
Torstein R. Meling, MD, Dr.Philos; Jan Ødegaard, BDS, MS, Dr.Odont

Case Report

377 **Orthodontic treatment of Class II Division 1 malocclusion in a patient with achondroplasia**
Tomoko Ohba, DDS; Yasuo Ohba, DDS,PhD; Satoru Tenshin, DDS, PhD; Teruko Takano-Yamamoto, DDS, PhD

383 **Information for authors**

Volume 68, Number 5

Editorial

387 **Understanding and dealing with the complexities of craniofacial growth**
David L. Turpin, DDS, MSD

389 **What's new in dentistry**
Vincent Kokich, DDS, MSD

Original Articles

391 **The role of computerized video imaging in predicting adult extraction treatment outcomes**
Thuan N. Le; Glenn T. Sameshima, DDS, PhD; John E. Grubb, DDS, MSD; Peter M. Sinclair, DDS, MSD

401 **An evaluation of two VTO methods**
Lew B. Sample, DMD; P. Lionel Sadowsky, DMD, BDS, DipOrth, M Dent; Edwin Bradley, PhD

409 **Mandibular morphology in subjects with Class III malocclusions: Finite-element morphometry**
G.D. Singh, BDS, PhD; J.A. McNamara Jr., DDS, PhD; S. Lozanoff, PhD

419 **Electromyographic investigation of chin cup therapy in Class III malocclusion**
Toshio Deguchi, DDS, MSD, PhD; Kenzo Iwahara, DDS

Case Report

425 **Case Report KY: Functional analysis of a follow-up chin cup patient with TMJ pain**
Toshio Deguchi, DDS, MSD, PhD; Setsuko Uematsu, DDS, DDSc; Hiroshi Mimura, DDS, PhD

Original Articles

431 **Longitudinal changes in Class I subjects with moderate mandibular skeletal protrusion**
Alf Tor Karlsen

439 **Occlusal outcome of orthodontic treatment**
Essam A. Al Yami, DDS; Anne M. Kuijpers-Jagtman, DDS, PhD; Martin A. van 't Hof, PhD

445 **Genetic influence on dental arch form in orthodontic patients**
Kevin M. Cassidy, DDS, MS; Edward F. Harris, PhD; Elizabeth A. Tolley, PhD; Robert G. Keim, DDS

455 **Mandibular lateral incisor-canine transposition, concomitant dental anomalies, and genetic control**
Sheldon Peck, DDS, MScD; Leena Peck, DMD, MSD; Matti Kataja, PhD

Appendix 1: Clinical orthodontic management of Mn.I2.C transposition

467 **A genetic study of anteroposterior and vertical facial proportions using model-fitting**
I. Savoye, DDS; R. Loos, Msc; C. Carels, DDS, PhD; C. Derom, Dsc, PhD; R. Vlietinck, DDS, PhD

471 **Tooth rotation associated with aplasia of nonadjacent teeth**
T. Baccetti, DDS, PhD

475 **Canine transposition in prehistoric Pakistan: Bronze Age and Iron Age case reports**
John R. Lukacs

Volume 68, Number 6

Editorial

483 **Moving moments in orthodontics**
Robert M. Rubin, DMD, MS

485 **What's new in dentistry**
Vincent Kokich, DDS, MSD

Original Articles

487 **Soft tissue evaluation of contemporary Caucasian and African American female facial profiles**
Robert E. Sutter Jr., DDS, MS; Patrick K. Turley, DDS, MSD, MEd

497 **Cephalometric floating norms for North American adults**
Lorenzo Franchi, DDS, PhD; Tiziano Baccetti, DDS, PhD; James A. McNamara Jr, DDS, PhD

503 **Determining cephalometric norms for Caucasians and African Americans in Birmingham**
Wen-Jeng Huang, DDS, MS; Reginald W. Taylor, DMD, DMSc; Ananda P. Dasanayake, BDS, MPH, PhD

Commentary by Peter Ngan, DMD

513 **Consistency of patient classification in orthodontic diagnosis and treatment planning**
Larry S. Luke, DDS, MS; Kathryn A. Atchison, DDS, MPH; Stuart C. White, DDS, PhD

521 **A retrospective study of two-stage treatment outcomes assessed with two modified PAR indices**
M. Mary McKnight, BDS, MSc, MOrth, FDSOrth; Charles P. Daniels, BDS, FDS; Lysle E. Johnston, Jr. DDS, MS, PhD

Commentary by Katherine Dryland Vig

527 **An assessment of extraction versus nonextraction orthodontic treatment using the peer assessment rating (PAR) index**
J. Kevin Holman, DMD, MSD; Mark G. Hans, DDS, MSD; Suchitra Nelson, PhD; Michael P. Powers, DDS, MS

535 **Earlier dental maturation: Fact or fiction?**
George L. Nadler, DDS

539 **Facial changes in extraction and nonextraction patients**
J.C. Boley, DDS, MS; J.P. Pontier, DDS, MS; Stephanie Smith, DDS, MS; Mark Fulbright, BS

547 **Dentofacial disharmony: Psychological status of patients seeking treatment consultation**
Ceib Phillips, MPH, PhD; M. Elizabeth Bennett, PhD; Hillary L. Broder, PhD

557 **Relationship between facial types and tooth and bone characteristics of the mandible obtained by CT scanning**
Masahiro Tsunori, DDS; Masamitsu Mashita, DDS, PhD; Kazutaka Kasai, DDS, PhD

563 **Index to Volume 68**

Author Index 1998 Volume 68 No. 1 - No. 6

Abrams H—see Shellhart WC
Ahn K—see Rudolph DJ
Al Yami EA, Kuijpers-Jagtman AM, van 't Hof MA. Occlusal outcome of orthodontic treatment. Angle Orthod 1998;68(5):439-444.
Ash MM Jr—see Tallgren A
Atchison KA—see Luke LS
Baccetti T. A controlled study of associated dental anomalies. Angle Orthod 1998;68(3):267-274.
Tooth rotation associated with aplasia of nonadjacent teeth. Angle Orthod 1998;68(5): 471-474.
—see Franchi L
Baspinar E—see Özbek MM
Ben-Bassat Y—see Brin I
Bennett ME—see Phillips C
Bishara SE, Jakobsen JR. Changes in overbite and face height from 5 to 45 years of age in normal subjects. Angle Orthod 1998;68(3):209-216.
Bishara SE, Jakobsen JR, Treder J, Nowak A. Arch length changes from 6 weeks to 45 years. 1998;68(1):69-74.
Bjerkhoel—see Kurol J
Boley JC, Pontier JP, Smith S, Fulbright M. Facial changes in extraction and nonextraction patients. Angle Orthod 1998;68(6): 539-546.
Bondevik O. Changes in occlusion between 23 and 34 years. 1998;68(1):75-80.
Boonpinon P—see Chintakanon K
Borell G—see Shapira Y
Bradley E—see Sample LB
Braun S, Hnat WP, Fender DE, Legan HL. The form of the human dental arch. 1998;68(1):29-36.
Brin I, Zwilling-Sellam O, Harari D, Koyoumdjisky-Kaye E, Ben-Bassat Y. Does a secular trend exist in the distribution of occlusal patterns? 1998;68(1):81-84.
Broder HL—see Phillips C
Burke SP, Silveira AM, Goldsmith LJ, Yancey JM, Stewart A, Scarfe WC. A meta-analysis of mandibular intercanine width in treatment and postretention. 1998;68(1):53-60.
Buschang PH—see Stroud JL
Buschang PH, Martins J. Childhood and adolescent changes of skeletal relationships. Angle Orthod 1998;68(3):199-208.
Büyükyilmaz T, Zachrisson BU. Improved orthodontic bonding to silver amalgam. Part 2. Lathe-cut, admixed, and spherical amalgams with different intermediate resins. Angle Orthod 1998;68(4):337-344.
Caputo AA—see Stafford GD
Carels C—see Savoye I
Cassidy KM, Harris EF, Tolley EA, Keim RG. Genetic influence on dental arch form in orthodontic patients. Angle Orthod 1998;68(5):445-454.
Cattanach D—see Millett DT
Chintakanon K, Boonpinon P. Ectopic eruption of the first permanent molars: Prevalence and etiologic factors. 1998;68(2):153-160.
Christiansen RL—see Tallgren A
Daniels CP—see McKnight MM
Dasanayake AP—see Huang W-J
Deguchi T, Iwahara K. Electromyographic investigation of chin cup therapy in Class III malocclusion. Angle Orthod 1998;68(5):419-424.
Deguchi T, Uematsu S, Kawahara Y, Mimura H. Brief Communication: Clinical evaluation of temporomandibular joint disorders (TMD) in patients treated with chin cup. 1998;68(1):91-94.
Deguchi T, Uematsu S, Mimura H. Case Report KY: Functional analysis of a follow-up chin cup patient with TMJ pain. Angle Orthod 1998;68(5):425-430.
Derom C—see Savoye I
Dominguez PD—see Rudolph DJ
English J—see Stroud JL
Esmailnejad A—see Kula K
Fender DE—see Braun S
Franchi L, Baccetti T, McNamara JA Jr. Cephalometric floating norms for North American adults. Angle Orthod 1998;68(6):497-502.
Fulbright M—see Boley JC
Gögen H—see Özbek MM
Goldsmith LJ—see Burke SP
Grubb JE—see Le TN
Hallgren A—see Millett DT
Hans MG—see Holman K
Hansson C, Rindler A. Periodontal conditions following surgical and orthodontic treatment of palatally impacted maxillary canines—a follow-up study. 1998;68(2):167-172.
Harari D—see Brin I
Harnick DJ. Case Report: Class II correction using a modified Wilson bimetric distalizing arch and maxillary second molar extraction. Angle Orthod 1998;68(3):275-280.
Harris EF—see Cassidy KM
Haruki T, Little RM. Early versus late treatment of crowded first premolar extraction cases: Postretention evaluation of stability and relapse. 1998;68(1):61-68.
Hashimoto F—see Kobayashi Y
Hass A—see Kula K
Hnat WP—see Braun S
Holman JK, Hans MG, Nelson S, Powers MP. An assessment of extraction versus nonextraction orthodontic treatment using the peer assessment rating (PAR) index. Angle Orthod 1998;68(6):527-534.
Huang W-J, Taylor RW, Dasanayake AP. Determining cephalometric norms for Caucasians and African Americans in Birmingham. Angle Orthod 1998;68(6):503-512.
Isaacson RJ. Commentary on: Childhood and adolescent changes of skeletal relationships. Angle Orthod 1998;68(3):207-208.
Ishizuka Y—see Ueda H
Iwahara K—see Deguchi T
Jakobsen JR—see Bishara SE
Jasper S—see Shellhart WC
Johnston LE Jr. Guest Editorial: The value of information and the cost of uncertainty: Who pays the bill? 1998;68(2):99.
Johnston LE—see McKnight MM
Kamahli K—see Millett DT
Karlsen AT. Longitudinal changes in Class I subjects with moderate mandibular skeletal protrusion. Angle Orthod 1998;68(5):431-437.
Kasai K—see Tsunori M
Kataja M—see Peck S
Kato Y—see Kobayashi Y
Kawahara Y—see Deguchi T
Keeling SD—see Sheats RD
Keim RG—see Cassidy KM
Killiany DM. Commentary on: The use of tooth thickness in predicting intermaxillary tooth-size discrepancies. 1998;68(2):140.
King GJ—see Sheats RD
Kobayashi K—see Kobayashi Y

Author Index
1998
Volume 68
No. 1 - No. 6

Kobayashi Y, Takagi H, Sakai H, Hashimoto F, Mataki S, Kobayashi K, Kato Y. Effects of local administration of osteocalcin on experimental tooth movement. Angle Orthod 1998;68(3):259-266.

Kokich V. What's new in dentistry. Angle Orthod 1998;68(1):7-8.

What's new in dentistry. Angle Orthod 1998;68(2):105-106.

What's new in dentistry. Angle Orthod 1998;68(3):197-198.

What's new in dentistry. Angle Orthod 1998;68(4):293-294.

What's new in dentistry. Angle Orthod 1998;68(5):389-390.

What's new in dentistry. Angle Orthod 1998;68(6):485-486.

Koyoumdjisky-Kaye E—see Brin I

Kuftinec MM—see Shapira Y

Kuijpers-Jagtman AM—see Al Yami EA

Kula K—see Maurice TJ

Kula K, Esmailnejad A, Hass A. Dental arch asymmetry in children with large overjets. 1998;68(1):45-52.

Kurol J, Modin H, Bjerkhoel A. Orthodontic maxillary expansion and its effect on nocturnal enuresis. Angle Orthod 1998;68(3):225-232.

Kurol J, Owman-Moll P. Hyalinization and root resorption during early orthodontic tooth movement in adolescents. 1998;68(2):161-166.

Le TN, Sameshima GT, Grubb JE, Sinclair PM. The role of computerized video imaging in predicting adult extraction treatment outcomes. Angle Orthod 1998;68(5):391–400.

Legan HL—see Braun S

Little RM—see Haruki T

Loos R—see Savoye I

Love J—see Millett DT

Lowe AA—see Özbek MM

Lozanoff S—see Singh GD

Lukacs JR. Canine transposition in prehistoric Pakistan: Bronze Age and Iron Age case reports. Angle Orthod 1998;68(5):475-480.

Luke LS, Atchison KA, White SC. Consistency of patient classification in orthodontic diagnosis and treatment planning. Angle Orthod 1998;68(6):513-520.

Luther F. Orthodontics and the temporomandibular joint: Where are we now? Part 1. Orthodontic treatment and temporomandibular disorders. Angle Orthod 1998;68(4): 295-304.

Orthodontics and the temporomandibular joint: Where are we now? Part 2. Functional occlusion, malocclusion, and TMD. Angle Orthod 1998;68(4):305-318.

Mantzikos T, Shamus I. Case Report: Forced eruption and implant site development. 1998;68(2):179-186.

Martins J—see Buschang PH

Mashita M—see Tsunori M

Mataki S—see Kobayashi Y

Maurice TJ, Kula K. Dental arch asymmetry in the mixed dentition. 1998;68(1):37-44.

McColl J—see Millett DT

McFadzean R—see Millett DT

McGorray SP—see Sheats RD

McKnight MM, Daniels CP, Johnston LE. A retrospective study of two-stage treatment outcomes assessed with two modified PAR indices. Angle Orthod 1998;68(6):521-526.

McNamara JA Jr —see Franchi L

—see Singh GD

Mehra T, Nanda RS, Sinha PK. Orthodontists' assessment and management of patient compliance. 1998;68(2):115-122.

Meling TR, Ødegaard J. The effect of cross-sectional dimensional variations of square and rectangular chrome-cobalt archwires on torsion. Angle Orthod 1998;68(3):239-248.

The effect of short-term temperature changes on the mechanical properties of rectangular nickel titanium archwires tested in torsion. Angle Orthod 1998;68(4):369-376.

The effect of temperature on the elastic responses to longitudinal torsion of rectangular nickel titanium archwires. Angle Orthod 1998;68(4):357-368.

Memikoglu TUT—see Özbek MM

Miller RL—see Tallgren A

Millett DT, Hallgren A, Cattanach D, McFadzean R, Pattison J, Robertson M, Love J. A 5-year clinical review of bond failure with a light-cured resin adhesive. Angle Orthod 1998;68(4):351-356.

Millett DT, Kamahli K, McColl J. Comparative laboratory investigation of dual-cured vs. conventional glass ionomer cements for band cementation. Angle Orthod 1998;68(4):345-350.

Mimura H—see Deguchi T

Miyamoto K—see Ueda H

Modin—see Kurol J

Moffitt AH. Eruption and function of maxillary third molars after extraction of second molars. 1998;68(2):147-152.

Morimoto N—see Ueda H

Nadler GL. Earlier dental maturation: Fact or fiction? Angle Orthod 1998;68(6):535-538.

Nahlieli O—see Shapira Y

Nakagawa K—see Yamashiro T

Nanda RS—see Mehra T

—see Richter DD

Nartallo-Turley PE, Turley PK. Cephalometric effects of combined palatal expansion and facemask therapy on Class III malocclusion. Angle Orthod 1998;68(3):217-224.

Nelson S—see Holman K

Ngan P. Commentary on: Determining cephalometric norms for Caucasians and African Americans in Birmingham. Angle Orthod 1998;68(6): 512.

Nowak—see Bishara SE

Ødegaard J—see Meling TR

Ohba T, Ohba Y, Tenshin S, Takano-Yamamoto T. Case Report. Orthodontic treatment of Class II Division 1 malocclusion in a patient with achondroplasia. Angle Orthod 1998;68(4):377-382.

Ohba Y—see Ohba T

Okada T—see Yamashiro T

Owman-Moll P—see Kurol J

Özbek MM, Memikoglu TUT, Gögen H, Lowe AA, Baspinar E. Oropharyngeal airway dimensions and functional-orthopedic treatment in skeletal Class II cases. Angle Orthod 1998;68(4):327-336.

Pattison J—see Millett DT

Peck L—see Peck S

Peck S, Peck L, Kataja M. Class II Division 2 malocclusion: A heritable pattern of small teeth in well-developed jaws. 1998;68(1):9-20.

Mandibular lateral incisor-canine transposition, concomitant dental anomalies, and genetic control. Angle Orthod 1998;68(5):455-466.

Appendix 1: Clinical orthodontic management of Mn.I2.C transposition. Angle Orthod 1998;68(5):466.

Author Index 1998 Volume 68 No. 1 - No. 6

Phillips C, Bennett ME, Broder HL. Dentofacial disharmony: Psychological status of patients seeking treatment consultation. Angle Orthod 1998;68(6):547-556.
Pontier JP—see Boley JC
Powers MP—see Holman K
Richter DD, Nanda RS, Sinha PK, Smith DW. Effect of behavior modification on patient compliance in orthodontics. 1998;68(2):123-132.
Rindler A—see Hansson C
Robertson M—see Millett DT
Rubin RM. Editorial. Moving moments in orthodontics. Angle Orthod 1998;68(6):483.
Rudolph DJ, Dominguez PD, Ahn K, Thinh T. The use of tooth thickness in predicting intermaxillary tooth-size discrepancies. 1998;68(2):133-140.
Sadowsky PL—see Sample LB
Sakai H—see Kobayashi Y
Sameshima GT—see Le TN
Sample LB, Sadowsky PL, Bradley E. An evaluation of two VTO methods. Angle Orthod 1998;68(5):401-408.
Savoye I, Loos R, Carels C, Derom C, Vlietinck R. A genetic study of anteroposterior and vertical facial proportions using model-fitting. Angle Orthod 1998;68(5):467-470.
Scarfe WC—see Burke SP
Shamus I—see Mantzikos T
Shapira Y, Borell G, Nahlieli O, Kuftinec MM. Clinical Review: Uprighting mesially impacted mandibular permanent second molars. 1998;68(2):173-178.
Sheats RD, McGorray SP, Keeling SD, Wheeler TT, King GJ. Occlusal traits and perception of orthodontic need in eighth grade students. 1998;68(2):107-114..
Shellhart WC, Jasper S, Abrams H, Wilson T. Case Report: Management of significant incisor root resorption associated with maxillary canine impaction. 1998;68(2):187-192.
Silveira AM—see Burke SP
Sinclair PM—see Le TN
Singh GD, McNamara JA Jr, Lozanoff S. Mandibular morphology in subjects with Class III malocclusions: Finite-element morphometry. Angle Orthod 1998;68(5):409-418.
Sinha PK—see Mehra T
see Richter DD
Smith DW—see Richter DD
Smith S—see Boley JC
So LLY—see Yuen KKW
Stafford GD, Caputo AA, Turley PK. Characteristics of headgear release mechanisms: Safety implications. Angle Orthod 1998;68(4):319-326.
Stewart A—see Burke SP
Stroud JL, English J, Buschang PH. Enamel thickness of the posterior dentition: Its implications for nonextraction treatment. 1998;68(2):141-146.
Sutter RE, Turley PK. Soft tissue evaluation of contemporary Caucasian and African American female facial profiles. Angle Orthod 1998;68(6):487-496.
Takada K—see Yamashiro T
Takagi H—see Kobayashi Y
Takano-Yamamoto T—see Ohba T
Tallgren A, Christiansen RL, Ash MM Jr, Miller RL. Effects of a myofunctional appliance on orofacial muscle activity and structures. Angle Orthod 1998;68(3):249-258.
Tang ELK—see Yuen KKW
Tanne K—see Ueda H
Taylor RW—see Huang W-J
Tenshin S—see Ohba T
Thinh T—see Rudolph DJ
Tolley EA—see Cassidy KM
Treder J—see Bishara SE
Tsunori M, Mashita M, Kasai K. Relationship between facial types and tooth and bone characteristics of the mandible obtained by CT scanning. Angle Orthod 1998;68(6):557-562.
Turley PK—see Nartallo-Turley PE
—see Stafford GD
—see Sutter RE
Turpin DL. Editorial. A shorter wait in '98. 1998;68(1):3.
Editorial. Ethical questions in the information age. Angle Orthod 1998;68(4):291.
Editorial: Internet a valuable resource. Angle Orthod 1998;68(3):195.
Editorial. Understanding and dealing with the complexities of craniofacial growth. Angle Orthod 1998;68(5):387.
Ueda H, Ishizuka Y, Miyamoto K, Morimoto N, Tanne K. Relationship between masticatory muscle activity and vertical craniofacial morphology. Angle Orthod 1998;68(3):233-238.
Uematsu S—see Deguchi T
van 't Hof MA—see Al Yami EA
Vig KD. Commentary on: A retrospective study of two-stage treatment outcomes assessed with two modified PAR indices. Angle Orthod 1998;68(6):526.
Vlietinck R—see Savoye I
Wheeler TT—see Sheats RD
White SC—see Luke LS
Wilson T—see Shellhart WC
Yancey JM—see Burke SP
Yuen KKW, Tang ELK, So LLY. Mixed dentition analysis for Hong Kong Chinese. 1998;68(1):21-28.
Zachrisson BU—see Büyükyilmaz T
Zwilling-Sellam O—see Brin I

Key Word Index 1998 Volume 68 No. 1 - No. 6

Achondroplasia
Ohba T, Ohba Y, Tenshin S, Takano-Yamamoto T. Case Report. Orthodontic treatment of Class II Division 1 malocclusion in a patient with achondroplasia. Angle Orthod 1998;68(4):377-382.
Adhesives
Büyükyilmaz T, Zachrisson BU. Improved orthodontic bonding to silver amalgam. Part 2. Lathe-cut, admixed, and spherical amalgams with different intermediate resins. Angle Orthod 1998;68(4):337-344.
Adult
Bondevik O. Changes in occlusion between 23 and 34 years. Angle Orthod 1998;68(1):75-80.
Adult extraction treatment
Le TN, Sameshima GT, Grubb JE, Sinclair PM. The role of computerized video imaging in predicting adult extraction treatment outcomes. Angle Orthod 1998;68(5):391–400.
African Americans
Huang W-J, Taylor RW, Dasanayake AP. Determining cephalometric norms for Caucasians and African Americans in Birmingham. Angle Orthod 1998;68(6):503-512.
Sutter RE, Turley PK. Soft tissue evaluation of contemporary Caucasian and African American female facial profiles. Angle Orthod 1998;68(6):487-496.

Key Word Index 1998 Volume 68 No. 1 - No. 6

Age of dental maturation
Nadler GL. Earlier dental maturation: Fact or fiction? Angle Orthod 1998;68(6):535-538.

Amalgam
Büyükyilmaz T, Zachrisson BU. Improved orthodontic bonding to silver amalgam. Part 2. Lathe-cut, admixed, and spherical amalgams with different intermediate resins. Angle Orthod 1998;68(4):337-344.

Angle Class II
Peck S, Peck L, Kataja M. Class II Division 2 malocclusion: A heritable pattern of small teeth in well-developed jaws. Angle Orthod 1998;68(1):9-20.

Angle classification
Brin I, Zwilling-Sellam O, Harari D, Koyoumdjisky-Kaye E, Ben-Bassat Y. Does a secular trend exist in the distribution of occlusal patterns? 1998;68(1):81-84.

Anterior crossbite
Deguchi T, Iwahara K. Electromyographic investigation of chin cup therapy in Class III malocclusion. Angle Orthod 1998;68(5):419-424.

Arch form
Braun S, Hnat WP, Fender DE, Legan HL. The form of the human dental arch. Angle Orthod 1998;68(1):29-36.

Cassidy KM, Harris EF, Tolley EA, Keim RG. Genetic influence on dental arch form in orthodontic patients. Angle Orthod 1998;68(5):445-454.

Arch length
Bishara SE, Jakobsen JR, Treder J, Nowak A. Arch length changes from 6 weeks to 45 years. Angle Orthod 1998;68(1):69-74.

Archwires
Meling TR, Ødegaard J. The effect of temperature on the elastic responses to longitudinal torsion of rectangular nickel titanium archwires. Angle Orthod 1998;68(4):357-368.

Asymmetry
Kula K, Esmailnejad A, Hass A. Dental arch asymmetry in children with large overjets. Angle Orthod 1998;68(1):45-52.

Maurice TJ, Kula K. Dental arch asymmetry in the mixed dentition. Angle Orthod 1998;68(1):37-44.

Ball mill
Millett DT, Kamahli K, McColl J. Comparative laboratory investigation of dual-cured vs. conventional glass ionomer cements for band cementation. Angle Orthod 1998;68(4):345-350.

Behavior modification
Richter DD, Nanda RS, Sinha PK, Smith DW. Effect of behavior modification on patient compliance in orthodontics. Angle Orthod 1998;68(2):123-132.

Beta function
Braun S, Hnat WP, Fender DE, Legan HL. The form of the human dental arch. Angle Orthod 1998;68(1):29-36.

Beauty
Sutter RE, Turley PK. Soft tissue evaluation of contemporary Caucasian and African American female facial profiles. Angle Orthod 1998;68(6):487-496.

Bolton analysis
Rudolph DJ, Dominguez PD, Ahn K, Thinh T. The use of tooth thickness in predicting intermaxillary tooth-size discrepancies. With commentray by DM Killiany. Angle Orthod 1998;68(2):133-140.

Bond failure
Millett DT, Hallgren A, Cattanach D, McFadzean R, Pattison J, Robertson M, Love J. A 5-year clinical review of bond failure with a light-cured resin adhesive. Angle Orthod 1998;68(4):351-356.

Bond strength
Büyükyilmaz T, Zachrisson BU. Improved orthodontic bonding to silver amalgam. Part 2. Lathe-cut, admixed, and spherical amalgams with different intermediate resins. Angle Orthod 1998;68(4):337-344.

Bonding
Büyükyilmaz T, Zachrisson BU. Improved orthodontic bonding to silver amalgam. Part 2. Lathe-cut, admixed, and spherical amalgams with different intermediate resins. Angle Orthod 1998;68(4):337-344.

Bronze Age
Lukacs JR. Canine transposition in prehistoric Pakistan: Bronze Age and Iron Age case reports. Angle Orthod 1998;68(5):475-480.

Calcification of mandibular canines
Nadler GL. Earlier dental maturation: Fact or fiction? Angle Orthod 1998;68(6):535-538.

Canine impaction
Shellhart WC, Jasper S, Abrams H, Wilson T. Case Report: Management of significant incisor root resorption associated with maxillary canine impaction. Angle Orthod 1998;68(2):187-192.

Canine transposition
Lukacs JR. Canine transposition in prehistoric Pakistan: Bronze Age and Iron Age case reports. Angle Orthod 1998;68(5):475-480.

Case report
Deguchi T, Uematsu S, Mimura H. Case Report KY: Functional analysis of a follow-up chin cup patient with TMJ pain. Angle Orthod 1998;68(5):425-420.

Harnick DJ. Case Report: Class II correction using a modified Wilson bimetric distalizing arch and maxillary second molar extraction. Angle Orthod 1998;68(3):275-280.

Mantzikos T, Shamus I. Case Report: Forced eruption and implant site development. Angle Orthod 1998;68(2):179-186.

Ohba T, Ohba Y, Tenshin S, Takano-Yamamoto T. Case Report. Orthodontic treatment of Class II Division 1 malocclusion in a patient with achondroplasia. Angle Orthod 1998;68(4):377-382.

Shellhart WC, Jasper S, Abrams H, Wilson T. Case Report: Management of significant incisor root resorption associated with maxillary canine impaction. Angle Orthod 1998;68(2):187-192.

Yamashiro T, Nakagawa K, Takada K. Case Report: Orthodontic treatment of dental problems in incontinentia pigmenti. Angle Orthod 1998;68(3):281-284.

Yamashiro T, Okada T, Takada K. Case Report: Facial asymmetry and early condylar fracture. Angle Orthod 1998;68(1):85-90.

Caucasians
Huang W-J, Taylor RW, Dasanayake AP. Determining cephalometric norms for Caucasians and African Americans in Birmingham. Angle Orthod 1998;68(6):503-512.

Stroud JL, English J, Buschang PH. Enamel thickness of the posterior dentition: Its implications for nonextraction treatment. Angle Orthod 1998;68(2):141-146.

Sutter RE, Turley PK. Soft tissue evaluation of contemporary Caucasian and African American female facial profiles. Angle Orthod 1998;68(6):487-496.

Cephalometric analysis
Franchi L, Baccetti T, McNamara JA. Cephalometric floating norms for North American adults. Angle Orthod 1998;68(6):497-502.
Huang W-J, Taylor RW, Dasanayake AP. Determining cephalometric norms for Caucasians and African Americans in Birmingham. Angle Orthod 1998;68(6):503-512.
Karlsen AT. Longitudinal changes in Class I subjects with moderate mandibular skeletal protrusion. Angle Orthod 1998;68(5):431-437.
Sample LB, Sadowsky PL, Bradley E. An evaluation of two VTO methods. Angle Orthod 1998;68(5):401-408.
Bishara SE, Jakobsen JR. Changes in overbite and face height from 5 to 45 years of age in normal subjects. Angle Orthod 1998;68(3):209-216.
Buschang PH, Martins J. Childhood and adolescent changes of skeletal relationships. Angle Orthod 1998;68(3):199-206.
Tallgren A, Christiansen RL, Ash MM Jr, Miller RL. Effects of a myofunctional appliance on orofacial muscle activity and structures. Angle Orthod 1998;68(3):249-258.
Nartallo-Turley PE, Turley PK. Cephalometric effects of combined palatal expansion and facemask therapy on Class III malocclusion. Angle Orthod 1998;68(3):217-224.
Cephalometry
Franchi L, Baccetti T, McNamara JA. Cephalometric floating norms for North American adults. Angle Orthod 1998;68(6):497-502.
Peck S, Peck L, Kataja M. Class II Division 2 malocclusion: A heritable pattern of small teeth in well-developed jaws. Angle Orthod 1998;68(1):9-20.
Changes
Bondevik O. Changes in occlusion between 23 and 34 years. Angle Orthod 1998;68(1):75-80.
Children
Kula K, Esmailnejad A, Hass A. Dental arch asymmetry in children with large overjets. Angle Orthod 1998;68(1):45-52.
Maurice TJ, Kula K. Dental arch asymmetry in the mixed dentition. Angle Orthod 1998;68(1):37-44.
Chin cup
Deguchi T, Iwahara K. Electromyographic investigation of chin cup therapy in Class III malocclusion. Angle Orthod 1998;68(5):419-424.
Deguchi T, Uematsu S, Kawahara Y, Mimura H. Brief Communication: Clinical evaluation of temporomandibular joint disorders (TMD) in patients treated with chin cup. Angle Orthod 1998;68(1):91-94.
Deguchi T, Uematsu S, Mimura H. Case Report KY: Functional analysis of a follow-up chin cup patient with TMJ pain. Angle Orthod 1998;68(5):425-430.
Haruki T, Little RM. Early versus late treatment of crowded first premolar extraction cases: Postretention evaluation of stability and relapse. Angle Orthod 1998;68(1):61-68.
Chrome-cobalt
Meling TR, Ødegaard J. The effect of cross-sectional dimensional variations of square and rectangular chrome-cobalt archwires on torsion. Angle Orthod 1998;68(3):239-248.
Class I
Karlsen AT. Longitudinal changes in Class I subjects with moderate mandibular skeletal protrusion. Angle Orthod 1998;68(5):431-437.
Class II correction
Harnick DJ. Case Report: Class II correction using a modified Wilson bimetric distalizing arch and maxillary second molar extraction. Angle Orthod 1998;68(3):275-280.
Class III
Singh GD, McNamara JA, Lozanoff S. Mandibular morphology in subjects with Class III malocclusions: Finite-element morphometry. Angle Orthod 1998;68(5):409-418.
Nartallo-Turley PE, Turley PK. Cephalometric effects of combined palatal expansion and facemask therapy on Class III malocclusion. Angle Orthod 1998;68(3):217-224.
Clinical review
Millett DT, Hallgren A, Cattanach D, McFadzean R, Pattison J, Robertson M, Love J. A 5-year clinical review of bond failure with a light-cured resin adhesive. Angle Orthod 1998;68(4):351-356.
Clinical studies
Luther F. Orthodontics and the temporomandibular joint: Where are we now? Part 2. Functional occlusion, malocclusion, and TMD. Angle Orthod 1998;68(4):305-318.
Commentary
Isaacson RJ. Commentary on: Childhood and adolescent changes of skeletal relationships. Angle Orthod 1998;68(3):207-208.
Killiany DM. Commentary on: The use of tooth thickness in predicting intermaxillary tooth-size discrepancies. Angle Orthod 1998;68(2):140.
Ngan P. Commentary on: Determining cephalometric norms for Caucasians and African Americans in Birmingham. Angle Orthod 1998;68(6): 512.
Vig KD. Commentary on: A retrospective study of two-stage treatment outcomes assessed with two modified PAR indices. Angle Orthod 1998;68(6): 526.
Condylar fracture
Yamashiro T, Okada T, Takada K. Case Report: Facial asymmetry and early condylar fracture. Angle Orthod 1998;68(1):85-90.
Copper nickel titanium alloys
Meling TR, Ødegaard J. The effect of temperature on the elastic responses to longitudinal torsion of rectangular nickel titanium archwires. Angle Orthod 1998;68(4):357-368.
Meling TR, Ødegaard J. The effect of short-term temperature changes on the mechanical properties of rectangular nickel titanium archwires tested in torsion. Angle Orthod 1998;68(4):369-376.
Correlation coefficient
Sample LB, Sadowsky PL, Bradley E. An evaluation of two VTO methods. Angle Orthod 1998;68(5):401-408.
Cover-bite
Peck S, Peck L, Kataja M. Class II Division 2 malocclusion: A heritable pattern of small teeth in well-developed jaws. Angle Orthod 1998;68(1):9-20.
Craniofacial morphology
Ueda HM, Ishizuka Y, Miyamoto K, Morimoto N, Tanne K. Relationship between masticatory muscle activity and vertical craniofacial morphology. Angle Orthod 1998;68(3):233-238.
Craniofacial pattern
Franchi L, Baccetti T, McNamara JA. Cephalometric floating norms for North American adults. Angle Orthod 1998;68(6):497-502.

Craniometry
Cassidy KM, Harris EF, Tolley EA, Keim RG. Genetic influence on dental arch form in orthodontic patients. Angle Orthod 1998;68(5):445-454.
CT
Tsunori M, Mashita M, Kasai K. Relationship between facial types and tooth and bone characteristics of the mandible obtained by CT scanning. Angle Orthod 1998;68(6):557-562.
Debonding
Büyükyilmaz T, Zachrisson BU. Improved orthodontic bonding to silver amalgam. Part 2. Lathe-cut, admixed, and spherical amalgams with different intermediate resins. Angle Orthod 1998;68(4):337-344.
Decision-making
Luke LS, Atchison KA, White SC. Consistency of patient classification in orthodontic diagnosis and treatment planning. Angle Orthod 1998;68(6):513-520.
Dental anthropology
Lukacs JR. Canine transposition in prehistoric Pakistan: Bronze Age and Iron Age case reports. Angle Orthod 1998;68(5):475-480.
Dental arch
Kula K, Esmailnejad A, Hass A. Dental arch asymmetry in children with large overjets. Angle Orthod 1998;68(1):45-52.
Maurice TJ, Kula K. Dental arch asymmetry in the mixed dentition. Angle Orthod 1998;68(1):37-44.
Dental casts
Al Yami EA, Kuijpers-Jagtman AM, van 't Hof MA. Occlusal outcome of orthodontic treatment. Angle Orthod 1998;68(5):439-444.
Dental genetics
Baccetti T. A controlled study of associated dental anomalies. Angle Orthod 1998;68(3):267-274.
Baccetti T. Tooth rotation associated with aplasia of nonadjacent teeth. Angle Orthod 1998;68(5):471-474.
Dental paleopathology
Lukacs JR. Canine transposition in prehistoric Pakistan: Bronze Age and Iron Age case reports. Angle Orthod 1998;68(5):475-480.
Diagnosis
Luke LS, Atchison KA, White SC. Consistency of patient classification in orthodontic diagnosis and treatment planning. Angle Orthod 1998;68(6):513-520.
Digastric muscle
Ueda HM, Ishizuka Y, Miyamoto K, Morimoto N, Tanne K. Relationship between masticatory muscle activity and vertical craniofacial morphology. Angle Orthod 1998;68(3):233-238.
Dual-cured cement
Millett DT, Kamahli K, McColl J. Comparative laboratory investigation of dual-cured vs. conventional glass ionomer cements for band cementation. Angle Orthod 1998;68(4):345-350.
Ectopic eruption
Chintakanon K, Boonpinon P. Ectopic eruption of the first permanent molars: Prevalence and etiologic factors. Angle Orthod 1998;68(2):153-160.
Edge bevel
Meling TR, Ødegaard J. The effect of cross-sectional dimensional variations of square and rectangular chrome-cobalt archwires on torsion. Angle Orthod 1998;68(3):239-248.
Editorial
Johnston LE Jr. Guest Editorial: The value of information and the cost of uncertainty: Who pays the bill? Angle Orthod 1998;68(2):99.
Rubin RM. Editorial: Moving moments in orthodontics. Angle Orthod 1998;68(6):483.
Turpin D. Editorial: Internet a valuable resource. Angle Orthod 1998;68(3):195.
Turpin DL. Editorial: A shorter wait in '98. Angle Orthod 1998;68(1):3.
Turpin DL. Editorial: Ethical questions in the information age. Angle Orthod 1998;68(4):291.
Turpin DL. Editorial: Understanding the complexities of craniofacial growth. Angle Orthod 1998;68(5):387.
Electromyography
Deguchi T, Iwahara K. Electromyographic investigation of chin cup therapy in Class III malocclusion. Angle Orthod 1998;68(5):419-424.
Tallgren A, Christiansen RL, Ash MM Jr, Miller RL. Effects of a myofunctional appliance on orofacial muscle activity and structures. Angle Orthod 1998;68(3):249-258.
Ueda HM, Ishizuka Y, Miyamoto K, Morimoto N, Tanne K. Relationship between masticatory muscle activity and vertical craniofacial morphology. Angle Orthod 1998;68(3):233-238.
Enamel thickness
Stroud JL, English J, Buschang PH. Enamel thickness of the posterior dentition: Its implications for nonextraction treatment. Angle Orthod 1998;68(2):141-146.
Esthetics
Sheats RD, McGorray SP, Keeling SD, Wheeler TT, King GJ. Occlusal traits and perception of orthodontic need in eighth grade students. Angle Orthod 1998;68(2):107-114.
Extraction
Harnick DJ. Case Report: Class II correction using a modified Wilson bimetric distalizing arch and maxillary second molar extraction. Angle Orthod 1998;68(3):275-280.
Holman JK, Hans MG, Nelson S, Powers MP. An assessment of extraction versus nonextraction orthodontic treatment using the peer assessment rating (PAR) index. Angle Orthod 1998;68(6):527-534.
Facemask/palatal expansion
Nartallo-Turley PE, Turley PK. Cephalometric effects of combined palatal expansion and facemask therapy on Class III malocclusion. Angle Orthod 1998;68(3):217-224.
Facial asymmetry
Yamashiro T, Okada T, Takada K. Case Report: Facial asymmetry and early condylar fracture. Angle Orthod 1998;68(1):85-90.
Facial change
Boley JC, Pontier JP, Smith S, Fulbright M. Facial changes in extraction and nonextraction patients. Angle Orthod 1998;68(6): 539-546.
Facial profile
Sutter RE, Turley PK. Soft tissue evaluation of contemporary Caucasian and African American female facial profiles. Angle Orthod 1998;68(6):487-496.
Facial proportion
Savoye I, Loos R, Carels C, Derom C, Vlietinck R. A genetic study of anteroposterior and vertical facial proportions using model-fitting. Angle Orthod 1998;68(5):467-470.
Facial type
Tsunori M, Mashita M, Kasai K. Relationship between facial types and tooth and bone characteristics of the mandible obtained by CT scanning. Angle Orthod 1998;68(6):557-562.

Family analysis
Cassidy KM, Harris EF, Tolley EA, Keim RG. Genetic influence on dental arch form in orthodontic patients. Angle Orthod 1998;68(5):445-454.
Finite element
Singh GD, McNamara JA, Lozanoff S. Mandibular morphology in subjects with Class III malocclusions: Finite-element morphometry. Angle Orthod 1998;68(5):409-418.
First permanent molar
Chintakanon K, Boonpinon P. Ectopic eruption of the first permanent molars: Prevalence and etiologic factors. Angle Orthod 1998;68(2):153-160.
Floating norms
Franchi L, Baccetti T, McNamara JA. Cephalometric floating norms for North American adults. Angle Orthod 1998;68(6):497-502.
Forced eruption
Mantzikos T, Shamus I. Case Report: Forced eruption and implant site development. Angle Orthod 1998;68(2):179-186.
Frunctional analysis
Deguchi T, Uematsu S, Kawahara Y, Mimura H. Brief Communication: Clinical evaluation of temporomandibular joint disorders (TMD) in patients treated with chin cup. Angle Orthod 1998;68(1):91-94.
Deguchi T, Uematsu S, Mimura H. Case Report KY: Functional analysis of a follow-up chin cup patient with TMJ pain. Angle Orthod 1998;68(5):425-430.
Haruki T, Little RM. Early versus late treatment of crowded first premolar extraction cases: Postretention evaluation of stability and relapse. Angle Orthod 1998;68(1):61-68.
Functional appliances
McKnight MM, Daniels CP, Johnston LE. A retrospective study of two-stage treatment outcomes assessed with two modified PAR indices. Angle Orthod 1998;68(6):521-526.
Functional occlusion
Luther F. Orthodontics and the temporomandibular joint: Where are we now? Part 2. Functional occlusion, malocclusion, and TMD. Angle Orthod 1998;68(4):305-318.
Functional-orthopedic treatment
Özbek MM, Memikoglu TUT, Gögen H, Lowe AA, Baspinar E. Oropharyngeal airway dimensions and functional-orthopedic treatment in skeletal Class II cases. Angle Orthod 1998;68(4):327-336.
Genetics
Savoye I, Loos R, Carels C, Derom C, Vlietinck R. A genetic study of anteroposterior and vertical facial proportions using model-fitting. Angle Orthod 1998;68(5):467-470.
Genetics, clinical
Peck S, Peck L, Kataja M. Class II Division 2 malocclusion: A heritable pattern of small teeth in well-developed jaws. Angle Orthod 1998;68(1):9-20.
Peck S, Peck L, Kataja M. Mandibular lateral incisor-canine transposition, concomitant dental anomalies, and genetic control. Angle Orthod 1998;68(5):455-466.
Glass ionomer cement
Millett DT, Kamahli K, McColl J. Comparative laboratory investigation of dual-cured vs. conventional glass ionomer cements for band cementation. Angle Orthod 1998;68(4):345-350.
Growth
Buschang PH, Martins J. Childhood and adolescent changes of skeletal relationships. Angle Orthod 1998;68(3):199-206.
Karlsen AT. Longitudinal changes in Class I subjects with moderate mandibular skeletal protrusion. Angle Orthod 1998;68(5):431-437.
Growth forecast
Sample LB, Sadowsky PL, Bradley E. An evaluation of two VTO methods. Angle Orthod 1998;68(5):401-408.
Headgear
Stafford GD, Caputo AA, Turley PK. Characteristics of headgear release mechanisms: Safety implications. Angle Orthod 1998;68(4):319-326.
Heritability
Cassidy KM, Harris EF, Tolley EA, Keim RG. Genetic influence on dental arch form in orthodontic patients. Angle Orthod 1998;68(5):445-454.
H-line
Boley JC, Pontier JP, Smith S, Fulbright M. Facial changes in extraction and nonextraction patients. Angle Orthod 1998;68(6): 539-546.
Hyalinization
Kurol J, Owman-Moll P. Hyalinization and root resorption during early orthodontic tooth movement in adolescents. Angle Orthod 1998;68(2):161-166.
Impacted teeth
Hansson C, Rindler A. Periodontal conditions following surgical and orthodontic treatment of palatally impacted maxillary canines—a follow-up study. Angle Orthod 1998;68(2):167-172.
Impaction
Shapira Y, Borell G, Nahlieli O, Kuftinec MM. Clinical Review: Uprighting mesially impacted mandibular permanent second molars. Angle Orthod 1998;68(2):173-178.
Implants
Mantzikos T, Shamus I. Case Report: Forced eruption and implant site development. Angle Orthod 1998;68(2):179-186.
Incontinentia pigmenti
Yamashiro T, Nakagawa K, Takada K. Case Report: Orthodontic treatment of dental problems in incontinentia pigmenti. Angle Orthod 1998;68(3):281-284.
India
Lukacs JR. Canine transposition in prehistoric Pakistan: Bronze Age and Iron Age case reports. Angle Orthod 1998;68(5):475-480.
Intercanine
Burke SP, Silveira AM, Goldsmith LJ, Yancey JM, Stewart A, Scarfe WC. A meta-analysis of mandibular intercanine width in treatment and postretention. Angle Orthod 1998;68(1):53-60.
Interproximal reduction
Stroud JL, English J, Buschang PH. Enamel thickness of the posterior dentition: Its implications for nonextraction treatment. Angle Orthod 1998;68(2):141-146.
Iron Age
Lukacs JR. Canine transposition in prehistoric Pakistan: Bronze Age and Iron Age case reports. Angle Orthod 1998;68(5):475-480.
Jaw form
Cassidy KM, Harris EF, Tolley EA, Keim RG. Genetic influence on dental arch form in orthodontic patients. Angle Orthod 1998;68(5):445-454.
Longitudinal
Bishara SE, Jakobsen JR, Treder J, Nowak A. Arch length changes from 6 weeks to 45 years. Angle Orthod 1998;68(1):69-74.

Bishara SE, Jakobsen JR. Changes in overbite and face height from 5 to 45 years of age in normal subjects. Angle Orthod 1998;68(3):209-216.

Chintakanon K, Boonpinon P. Ectopic eruption of the first permanent molars: Prevalence and etiologic factors. Angle Orthod 1998;68(2):153-160.

Karlsen AT. Longitudinal changes in Class I subjects with moderate mandibular skeletal protrusion. Angle Orthod 1998;68(5):431-437.

Malocclusion

Baccetti T. Tooth rotation associated with aplasia of nonadjacent teeth. Angle Orthod 1998;68(5):471-474.

Luther F. Orthodontics and the temporomandibular joint: Where are we now? Part 2. Functional occlusion, malocclusion, and TMD. Angle Orthod 1998;68(4):305-318.

Luther F. Orthodontics and the temporomandibular joint: Where are we now? Part 1. Orthodontic treatment and temporomandibular disorders. Angle Orthod 1998;68(4): 295-304.

Peck S, Peck L, Kataja M. Class II Division 2 malocclusion: A heritable pattern of small teeth in well-developed jaws. Angle Orthod 1998;68(1):9-20.

Peck S, Peck L, Kataja M. Mandibular lateral incisor-canine transposition, concomitant dental anomalies, and genetic control. Angle Orthod 1998;68(5):455-466.

Sheats RD, McGorray SP, Keeling SD, Wheeler TT, King GJ. Occlusal traits and perception of orthodontic need in eighth grade students. Angle Orthod 1998;68(2):107-114.

Mandible

Singh GD, McNamara JA, Lozanoff S. Mandibular morphology in subjects with Class III malocclusions: Finite-element morphometry. Angle Orthod 1998;68(5):409-418.

Tsunori M, Mashita M, Kasai K. Relationship between facial types and tooth and bone characteristics of the mandible obtained by CT scanning. Angle Orthod 1998;68(6):557-562.

Mandibular second molar

Shapira Y, Borell G, Nahlieli O, Kuftinec MM. Clinical Review: Uprighting mesially impacted mandibular permanent second molars. Angle Orthod 1998;68(2):173-178.

Mandibular skeletal protrusion

Karlsen AT. Longitudinal changes in Class I subjects with moderate mandibular skeletal protrusion. Angle Orthod 1998;68(5):431-437.

Masticatory muscle

Ueda HM, Ishizuka Y, Miyamoto K, Morimoto N, Tanne K. Relationship between masticatory muscle activity and vertical craniofacial morphology. Angle Orthod 1998;68(3):233-238.

Materials testing

Meling TR, Ødegaard J. The effect of short-term temperature changes on the mechanical properties of rectangular nickel titanium archwires tested in torsion. Angle Orthod 1998;68(4):369-376.

Meling TR, Ødegaard J. The effect of temperature on the elastic responses to longitudinal torsion of rectangular nickel titanium archwires. Angle Orthod 1998;68(4):357-368.

Meling TR, Ødegaard J. The effect of cross-sectional dimensional variations of square and rectangular chrome-cobalt archwires on torsion. Angle Orthod 1998;68(3):239-248.

Mathematical formula

Braun S, Hnat WP, Fender DE, Legan HL. The form of the human dental arch. Angle Orthod 1998;68(1):29-36.

Maxilla

Nartallo-Turley PE, Turley PK. Cephalometric effects of combined palatal expansion and facemask therapy on Class III malocclusion. Angle Orthod 1998;68(3):217-224.

Maxillary second molar eruption

Moffitt AH. Eruption and function of maxillary third molars after extraction of second molars. Angle Orthod 1998;68(2):147-152.

Maxillary third molar eruption

Moffitt AH. Eruption and function of maxillary third molars after extraction of second molars. Angle Orthod 1998;68(2):147-152.

Meta-analysis

Burke SP, Silveira AM, Goldsmith LJ, Yancey JM, Stewart A, Scarfe WC. A meta-analysis of mandibular intercanine width in treatment and postretention. Angle Orthod 1998;68(1):53-60.

Missing teeth

Baccetti T. Tooth rotation associated with aplasia of nonadjacent teeth. Angle Orthod 1998;68(5): 471-474.

Yamashiro T, Nakagawa K, Takada K. Case Report: Orthodontic treatment of dental problems in icontinentia pigmenti. Angle Orthod 1998;68(3):281-284.

Mixed dentition

Chintakanon K, Boonpinon P. Ectopic eruption of the first permanent molars: Prevalence and etiologic factors. Angle Orthod 1998;68(2):153-160.

Maurice TJ, Kula K. Dental arch asymmetry in the mixed dentition. Angle Orthod 1998;68(1):37-44.

Yuen KKW, Tang ELK, So LLY. Mixed dentition analysis for Hong Kong Chinese. Angle Orthod 1998;68(1):21-28.

Molar uprighting

Shapira Y, Borell G, Nahlieli O, Kuftinec MM. Clinical Review: Uprighting mesially impacted mandibular permanent second molars. Angle Orthod 1998;68(2):173-178.

Morphologic malocclusion

Luther F. Orthodontics and the temporomandibular joint: Where are we now? Part 2. Functional occlusion, malocclusion, and TMD. Angle Orthod 1998;68(4):305-318.

Morphology

Singh GD, McNamara JA, Lozanoff S. Mandibular morphology in subjects with Class III malocclusions: Finite-element morphometry. Angle Orthod 1998;68(5):409-418.

Morphometry

Singh GD, McNamara JA, Lozanoff S. Mandibular morphology in subjects with Class III malocclusions: Finite-element morphometry. Angle Orthod 1998;68(5):409-418.

Nickel titanium alloys

Meling TR, Ødegaard J. The effect of short-term temperature changes on the mechanical properties of rectangular nickel titanium archwires tested in torsion. Angle Orthod 1998;68(4):369-376.

Meling TR, Ødegaard J. The effect of temperature on the elastic responses to longitudinal torsion of rectangular nickel titanium archwires. Angle Orthod 1998;68(4):357-368.

Nocturnal enuresis

Kurol J, Modin H, Bjerkhoel A. Orthodontic maxillary expansion and its effect on nocturnal enuresis. Angle Orthod 1998;68(3):225-232.

Nonextraction treatment
McKnight MM, Daniels CP, Johnston LE. A retrospective study of two-stage treatment outcomes assessed with two modified PAR indices. Angle Orthod 1998;68(6):521-526.
Normal
Bishara SE, Jakobsen JR, Treder J, Nowak A. Arch length changes from 6 weeks to 45 years. Angle Orthod 1998;68(1):69-74.
Bishara SE, Jakobsen JR. Changes in overbite and face height from 5 to 45 years of age in normal subjects. Angle Orthod 1998;68(3):209-216.
Franchi L, Baccetti T, McNamara JA. Cephalometric floating norms for North American adults. Angle Orthod 1998;68(6):497-502.
Occlusion
Bondevik O. Changes in occlusion between 23 and 34 years. Angle Orthod 1998;68(1):75-80.
Brin I, Zwilling-Sellam O, Harari D, Koyoumdjisky-Kaye E, Ben-Bassat Y. Does a secular trend exist in the distribution of occlusal patterns? 1998;68(1):81-84.
Odontometry
Peck S, Peck L, Kataja M. Class II Division 2 malocclusion: A heritable pattern of small teeth in well-developed jaws. Angle Orthod 1998;68(1):9-20.
Oral dysfunction
Tallgren A, Christiansen RL, Ash MM Jr, Miller RL. Effects of a myofunctional appliance on orofacial muscle activity and structures. Angle Orthod 1998;68(3):249-258.
Oral shield treatment
Tallgren A, Christiansen RL, Ash MM Jr, Miller RL. Effects of a myofunctional appliance on orofacial muscle activity and structures. Angle Orthod 1998;68(3):249-258.
Oropharyngeal airway
Özbek MM, Memikoglu TUT, Gögen H, Lowe AA, Baspinar E. Oropharyngeal airway dimensions and functional-orthopedic treatment in skeletal Class II cases. Angle Orthod 1998;68(4):327-336.
Orthodontic archwires
Meling TR, Ødegaard J. The effect of short-term temperature changes on the mechanical properties of rectangular nickel titanium archwires tested in torsion. Angle Orthod 1998;68(4):369-376.
Orthodontic bands
Millett DT, Kamahli K, McColl J. Comparative laboratory investigation of dual-cured vs. conventional glass ionomer cements for band cementation. Angle Orthod 1998;68(4):345-350.
Orthodontic treatment
Holman JK, Hans MG, Nelson S, Powers MP. An assessment of extraction versus nonextraction orthodontic treatment using the peer assessment rating (PAR) index. Angle Orthod 1998;68(6):527-534.
Luther F. Orthodontics and the temporomandibular joint: Where are we now? Part 1. Orthodontic treatment and temporomandibular disorders. Angle Orthod 1998;68(4): 295-304.
Luther F. Orthodontics and the temporomandibular joint: Where are we now? Part 2. Functional occlusion, malocclusion, and TMD. Angle Orthod 1998;68(4):305-318.
Luke LS, Atchison KA, White SC. Consistency of patient classification in orthodontic diagnosis and treatment planning. Angle Orthod 1998;68(6):513-520.
Mehra T, Nanda RS, Sinha PK.Orthodontists' assessment and management of patient compliance. Angle Orthod 1998;68(2):115-122.
Orthodontic wires
Meling TR, Ødegaard J. The effect of cross-sectional dimensional variations of square and rectangular chrome-cobalt archwires on torsion. Angle Orthod 1998;68(3):239-248.
Orthognathic surgery
Phillips C, Bennett ME, Broder HL. Dentofacial disharmony: Psychological status of patients seeking treatment consultation. Angle Orthod 1998;68(6):547-556.
Franchi L, Baccetti T, McNamara JA. Cephalometric floating norms for North American adults. Angle Orthod 1998;68(6):497-502.
Orthopedic treatment
Nartallo-Turley PE, Turley PK. Cephalometric effects of combined palatal expansion and facemask therapy on Class III malocclusion. Angle Orthod 1998;68(3):217-224.
Osteocalcin
Kobayashi Y, Takagi H, Sakai H, Hashimoto F, Mataki S, Kobayashi K, Kato Y. Effects of local administration of osteocalcin on experimental tooth movement. Angle Orthod 1998;68(3):259-266.
Osteoclast recruitment
Kobayashi Y, Takagi H, Sakai H, Hashimoto F, Mataki S, Kobayashi K, Kato Y. Effects of local administration of osteocalcin on experimental tooth movement. Angle Orthod 1998;68(3):259-266.
Outcome assessment
Holman JK, Hans MG, Nelson S, Powers MP. An assessment of extraction versus nonextraction orthodontic treatment using the peer assessment rating (PAR) index. Angle Orthod 1998;68(6):527-534.
Overbite
Peck S, Peck L, Kataja M. Class II Division 2 malocclusion: A heritable pattern of small teeth in well-developed jaws. Angle Orthod 1998;68(1):9-20.
Bishara SE, Jakobsen JR. Changes in overbite and face height from 5 to 45 years of age in normal subjects. Angle Orthod 1998;68(3):209-216.
Overjet
Kula K, Esmailnejad A, Hass A. Dental arch asymmetry in children with large overjets. Angle Orthod 1998;68(1):45-52.
Pakistan
Lukacs JR. Canine transposition in prehistoric Pakistan: Bronze Age and Iron Age case reports. Angle Orthod 1998;68(5):475-480.
Palate
Cassidy KM, Harris EF, Tolley EA, Keim RG. Genetic influence on dental arch form in orthodontic patients. Angle Orthod 1998;68(5):445-454.
PAR index
Al Yami EA, Kuijpers-Jagtman AM, van 't Hof MA. Occlusal outcome of orthodontic treatment. Angle Orthod 1998;68(5):439-444.
Holman JK, Hans MG, Nelson S, Powers MP. An assessment of extraction versus nonextraction orthodontic treatment using the peer assessment rating (PAR) index. Angle Orthod 1998;68(6):527-534.
McKnight MM, Daniels CP, Johnston LE. A retrospective study of two-stage treatment outcomes assessed with two modified PAR indices. Angle Orthod 1998;68(6):521-526.

Patient compliance
Mehra T, Nanda RS, Sinha PK.Orthodontists' assessment and management of patient compliance. Angle Orthod 1998;68(2):115-122.
Richter DD, Nanda RS, Sinha PK, Smith DW. Effect of behavior modification on patient compliance in orthodontics. Angle Orthod 1998;68(2):123-132.
Patient psychology
Mehra T, Nanda RS, Sinha PK. Orthodontists' assessment and management of patient compliance. Angle Orthod 1998;68(2):115-122.
Periodontal conditions
Hansson C, Rindler A. Periodontal conditions following surgical and orthodontic treatment of palatally impacted maxillary canines—a follow-up study. Angle Orthod 1998;68(2):167-172.
Permanent dentition
Stroud JL, English J, Buschang PH. Enamel thickness of the posterior dentition: Its implications for nonextraction treatment. Angle Orthod 1998;68(2):141-146.
Postretention
Burke SP, Silveira AM, Goldsmith LJ, Yancey JM, Stewart A, Scarfe WC. A meta-analysis of mandibular intercanine width in treatment and postretention. Angle Orthod 1998;68(1):53-60.
Posttreatment faces
Boley JC, Pontier JP, Smith S, Fulbright M. Facial changes in extraction and nonextraction patients. Angle Orthod 1998;68(6): 539-546.
Posttreatment
Burke SP, Silveira AM, Goldsmith LJ, Yancey JM, Stewart A, Scarfe WC. A meta-analysis of mandibular intercanine width in treatment and postretention. Angle Orthod 1998;68(1):53-60.
Perceived need
Sheats RD, McGorray SP, Keeling SD, Wheeler TT, King GJ. Occlusal traits and perception of orthodontic need in eighth grade students. Angle Orthod 1998;68(2):107-114.
Prediction equations
Yuen KKW, Tang ELK, So LLY. Mixed dentition analysis for Hong Kong Chinese. Angle Orthod 1998;68(1):21-28.
Prediction tracing
Sample LB, Sadowsky PL, Bradley E. An evaluation of two VTO methods. Angle Orthod 1998;68(5):401-408.
Prevalence
Chintakanon K, Boonpinon P. Ectopic eruption of the first permanent molars: Prevalence and etiologic factors. Angle Orthod 1998;68(2):153-160.
Probability tables
Yuen KKW, Tang ELK, So LLY. Mixed dentition analysis for Hong Kong Chinese. Angle Orthod 1998;68(1):21-28.
Proper diagnosis
Boley JC, Pontier JP, Smith S, Fulbright M. Facial changes in extraction and nonextraction patients. Angle Orthod 1998;68(6): 539-546.
Psychological factors
Phillips C, Bennett ME, Broder HL. Dentofacial disharmony: Psychological status of patients seeking treatment consultation. Angle Orthod 1998;68(6):547-556.
Quality
Al Yami EA, Kuijpers-Jagtman AM, van 't Hof MA. Occlusal outcome of orthodontic treatment. Angle Orthod 1998;68(5):439-444.
Rapid maxillary expansion
Kurol J, Modin H, Bjerkhoel A. Orthodontic maxillary expansion and its effect on nocturnal enuresis. Angle Orthod 1998;68(3):225-232.
Reference data
Buschang PH, Martins J. Childhood and adolescent changes of skeletal relationships. Angle Orthod 1998;68(3):199-206.
Review
Luther F. Orthodontics and the temporomandibular joint: Where are we now? Part 1. Orthodontic treatment and temporomandibular disorders. Angle Orthod 1998;68(4): 295-304.
Luther F. Orthodontics and the temporomandibular joint: Where are we now? Part 2. Functional occlusion, malocclusion, and TMD. Angle Orthod 1998;68(4):305-318.
Rewards
Richter DD, Nanda RS, Sinha PK, Smith DW. Effect of behavior modification on patient compliance in orthodontics. Angle Orthod 1998;68(2):123-132.
Rhinomanometry
Kurol J, Modin H, Bjerkhoel A. Orthodontic maxillary expansion and its effect on nocturnal enuresis. Angle Orthod 1998;68(3):225-232.
Root resorption
Kurol J, Owman-Moll P. Hyalinization and root resorption during early orthodontic tooth movement in adolescents. Angle Orthod 1998;68(2):161-166.
Shellhart WC, Jasper S, Abrams H, Wilson T. Case Report: Management of significant incisor root resorption associated with maxillary canine impaction. Angle Orthod 1998;68(2):187-192.
Secular trend
Brin I, Zwilling-Sellam O, Harari D, Koyoumdjisky-Kaye E, Ben-Bassat Y. Does a secular trend exist in the distribution of occlusal patterns? 1998;68(1):81-84.
Self-concept
Sheats RD, McGorray SP, Keeling SD, Wheeler TT, King GJ. Occlusal traits and perception of orthodontic need in eighth grade students. Angle Orthod 1998;68(2):107-114.
Skeletal Class II
Özbek MM, Memikoglu TUT, Gögen H, Lowe AA, Baspinar E. Oropharyngeal airway dimensions and functional-orthopedic treatment in skeletal Class II cases. Angle Orthod 1998;68(4):327-336.
Skeletal Class III
Deguchi T, Iwahara K. Electromyographic investigation of chin cup therapy in Class III malocclusion. Angle Orthod 1998;68(5):419-424.
Deguchi T, Uematsu S, Kawahara Y, Mimura H. Brief Communication: Clinical evaluation of temporomandibular joint disorders (TMD) in patients treated with chin cup. Angle Orthod 1998;68(1):91-94.
Haruki T, Little RM. Early versus late treatment of crowded first premolar extraction cases: Postretention evaluation of stability and relapse. Angle Orthod 1998;68(1):61-68.
Skeletal discrepancy
Huang W-J, Taylor RW, Dasanayake AP. Determining cephalometric norms for Caucasians and African Americans in Birmingham. Angle Orthod 1998;68(6):503-512.
Skeletal relations
Buschang PH, Martins J. Childhood and adolescent changes of skeletal relationships. Angle Orthod 1998;68(3):199-206.

Soft tissue
Sutter RE, Turley PK. Soft tissue evaluation of contemporary Caucasian and African American female facial profiles. Angle Orthod 1998;68(6):487-496.
Superelasticity
Meling TR, Ødegaard J. The effect of short-term temperature changes on the mechanical properties of rectangular nickel titanium archwires tested in torsion. Angle Orthod 1998;68(4):369-376.
Meling TR, Ødegaard J. The effect of temperature on the elastic responses to longitudinal torsion of rectangular nickel titanium archwires. Angle Orthod 1998;68(4):357-368.
Surgical exposure
Hansson C, Rindler A. Periodontal conditions following surgical and orthodontic treatment of palatally impacted maxillary canines—a follow-up study. Angle Orthod 1998;68(2):167-172.
Survival analysis
Millett DT, Hallgren A, Cattanach D, McFadzean R, Pattison J, Robertson M, Love J. A 5-year clinical review of bond failure with a light-cured resin adhesive. Angle Orthod 1998;68(4):351-356.
Symptom Checklist-90-R (SCL-90-R)
Phillips C, Bennett ME, Broder HL. Dentofacial disharmony: Psychological status of patients seeking treatment consultation. Angle Orthod 1998;68(6):547-556.
Temporomandibular disorder
Deguchi T, Uematsu S, Kawahara Y, Mimura H. Brief Communication: Clinical evaluation of temporomandibular joint disorders (TMD) in patients treated with chin cup. Angle Orthod 1998;68(1):91-94.
Haruki T, Little RM. Early versus late treatment of crowded first premolar extraction cases: Postretention evaluation of stability and relapse. Angle Orthod 1998;68(1):61-68.
Luther F. Orthodontics and the temporomandibular joint: Where are we now? Part 1. Orthodontic treatment and temporomandibular disorders. Angle Orthod 1998;68(4): 295-304.
Luther F. Orthodontics and the temporomandibular joint: Where are we now? Part 2. Functional occlusion, malocclusion, and TMD. Angle Orthod 1998;68(4):305-318.
TMJ pain
Deguchi T, Uematsu S, Mimura H. Case Report KY: Functional analysis of a follow-up chin cup patient with TMJ pain. Angle Orthod 1998;68(5):425-430.
Tooth abnormalities
Peck S, Peck L, Kataja M. Mandibular lateral incisor-canine transposition, concomitant dental anomalies, and genetic control. Angle Orthod 1998;68(5):455-466.
Tooth agenesis
Baccetti T. Tooth rotation associated with aplasia of nonadjacent teeth. Angle Orthod 1998;68(5):471-474.
Tooth anomalies
Baccetti T. A controlled study of associated dental anomalies. Angle Orthod 1998;68(3):267-274.
Tooth eruption
Baccetti T. A controlled study of associated dental anomalies. Angle Orthod 1998;68(3):267-274.
Tooth eruption, ectopic
Peck S, Peck L, Kataja M. Mandibular lateral incisor-canine transposition, concomitant dental anomalies, and genetic control. Angle Orthod 1998;68(5):455-466.
Tooth malpositions
Baccetti T. Tooth rotation associated with aplasia of nonadjacent teeth. Angle Orthod 1998;68(5):471-474.
Tooth movement
Kobayashi Y, Takagi H, Sakai H, Hashimoto F, Mataki S, Kobayashi K, Kato Y. Effects of local administration of osteocalcin on experimental tooth movement. Angle Orthod 1998;68(3):259-266.
Kurol J, Owman-Moll P. Hyalinization and root resorption during early orthodontic tooth movement in adolescents. Angle Orthod 1998;68(2):161-166.
Tooth rotation
Baccetti T. Tooth rotation associated with aplasia of nonadjacent teeth. Angle Orthod 1998;68(5):471-474.
Tooth transposition
Peck S, Peck L, Kataja M. Mandibular lateral incisor-canine transposition, concomitant dental anomalies, and genetic control. Angle Orthod 1998;68(5):455-466.
Tooth-size discrepancy
Rudolph DJ, Dominguez PD, Ahn K, Thinh T. The use of tooth thickness in predicting intermaxillary tooth-size discrepancies. Angle Orthod 1998;68(2): 1998;68(2):133-140.
Torsional stiffness
Meling TR, Ødegaard J. The effect of short-term temperature changes on the mechanical properties of rectangular nickel titanium archwires tested in torsion. Angle Orthod 1998;68(4):369-376.
Meling TR, Ødegaard J. The effect of temperature on the elastic responses to longitudinal torsion of rectangular nickel titanium archwires. Angle Orthod 1998;68(4):357-368.
Torsional strength
Meling TR, Ødegaard J. The effect of cross-sectional dimensional variations of square and rectangular chrome-cobalt archwires on torsion. Angle Orthod 1998;68(3):239-248.
Treatment outcome
Al Yami EA, Kuijpers-Jagtman AM, van 't Hof MA. Occlusal outcome of orthodontic treatment. Angle Orthod 1998;68(5):439-444.
Twins
Savoye I, Loos R, Carels C, Derom C, Vlietinck R. A genetic study of anteroposterior and vertical facial proportions using model-fitting. Angle Orthod 1998;68(5):467-470.
Two-stage treatment
McKnight MM, Daniels CP, Johnston LE. A retrospective study of two-stage treatment outcomes assessed with two modified PAR indices. Angle Orthod 1998;68(6):521-526.
Vertical skeletal
Bishara SE, Jakobsen JR. Changes in overbite and face height from 5 to 45 years of age in normal subjects. Angle Orthod 1998;68(3):209-216.
Video image prediction
Le TN, Sameshima GT, Grubb JE, Sinclair PM. The role of computerized video imaging in predicting adult extraction treatment outcomes. Angle Orthod 1998;68(5):391–400.
Visualized Treatment Objective
Sample LB, Sadowsky PL, Bradley E. An evaluation of two VTO methods. Angle Orthod 1998;68(5):401-408.
Wilson arch
Harnick DJ. Case Report: Class II correction using a modified Wilson bimetric distalizing arch and maxillary second molar extraction. Angle Orthod 1998;68(3):275-280.